BBA

Biomembranes

Vol. 1153, 1993

# Cumulative Contents

*Information for Contributors* vii

## *Regular Papers*

Interaction of sphingosine and stearylamine with phosphatidylserine as studied by DSC and NMR
*F. López-García, V. Micol, J. Villalaín and J.C. Gómez-Fernández (Spain)* 1

The influence of size and composition on the cholesterol mobilizing properties of liposomes in vivo
*W.V. Rodrigueza, P.H. Pritchard and M.J. Hope (Canada)* 9

A fluorescence anisotropy study of stabilizing effect of tri- and tetra- nitrovasodilatory drugs on DPPC liposomal membrane
*A.K. Ghosh, J. Mukherjee, R. Basu, M. Chatterjee and P. Nandy (India)* 20

Hepatoselective carrier-mediated sodium-independent uptake of pravastatin and pravastatin-lactone
*K. Ziegler and S. Hummelsiep (Germany)* 23

Kinetic characterization of $Na^+$/D-mannose cotransport in dog kidney: comparison with $Na^+$/D-glucose cotransport
*M. Silverman and L. Ho (Canada)* 34

Identification of two unique polypeptides from dog kidney outer cortex and outer medulla that exhibit different $Na^+$/D-glucose cotransport functional properties
*M. Silverman, P. Speight and L. Ho (Canada)* 43

Ionic factors regulating the interaction of *Gardnerella vaginalis* hemolysin with red blood cells
*S. Cauci, R. Monte, F. Quadrifoglio, M. Ropele and G. Menestrina (Italy)* 53

Quantitative analysis of proton movements associated with the uptake of weak carboxylic acids. The yeast *Candida utilis* as a model
*F. Cássio, M. Côrte-Real and C. Leão (Portugal)* 59

Inhibition of the Ca pump of intact red blood cells by *t*-butyl hydroperoxide: importance of glutathione peroxidase
*T.T. Rohn, T.R. Hinds and F.F. Vincenzi (USA)* 67

Frequency domain electrical conductivity measurements of the passive electrical properties of human lymphocytes
*F. Bordi, C. Cametti, A. Rosi and A. Calcabrini (Italy)* 77

Membrane disorganization induced by perfringolysin O (theta-toxin) of *Clostridium perfringens* – effect of toxin binding and self-assembly on liposomes
*M. Iwamoto, M. Nakamura, K.-i. Mitsui, S. Ando and Y. Ohno-Iwashita (Japan)* 89

Phenylarsine oxide and hydrogen peroxide stimulate glucose transport via different pathways in isolated cardiac myocytes
*Y. Fischer, H. Rose, J. Thomas, B. Deuticke and H. Kammermeier (Germany)* 97

Effects of vasopressin on single $Cl^-$ channels in the apical membrane of distal nephron cells (A6)
*Y. Marunaka and H. Tohda (Canada)* 105

Functional and biochemical characterization of the human potassium channel Kv1.5 with a transplanted carboxyl-terminal epitope in stable mammalian cell lines
*L.H. Philipson, A. Malayev, A. Kuznetsov, C. Chang and D.J. Nelson (USA)* 111

Chloride transport by human placental microvillous membrane vesicles
*S. Byrne, J.D. Glazier, S.L. Greenwood, D. Mahendran and C.P. Sibley (UK)* 122

Stabilization of egg phosphatidylcholine liposomes by the insertion of sulfatide
*H. Noda, M. Kurono, N. Ohishi and K. Yagi (Japan)* 127

## *Rapid Report*

A 46 kDa NTPase common to rat liver nuclear envelope, mitochondria, plasma membrane, and endoplasmic reticulum
*G.P. Sabbatini, P.J. Smith and C. Von Holt (South Africa)* 132

## *Regular Papers*

Characterization of 5-fluorouracil loaded liposomes prepared by reverse-phase evaporation or freezing-thawing extrusion methods: study of drug release
*B. Elorza, M.A. Elorza, G. Frutos and J.R. Chantres (Spain)* 135

Absence of lipid gel-phase domains in seven mammalian cell lines and in four primary cell types
*T. Parasassi, M. Loiero, M. Raimondi, G. Ravagnan and E. Gratton (Italy, USA)* 143

Partitioning of gramicidin A′ between coexisting fluid and gel phospholipid phases
*A.R.G. Dibble, M.D. Yeager and G.W. Feigenson (USA)* 155

Amino acid substitutions in the membrane-binding domain of cytochrome $b_5$ alter its membrane-binding properties
*V.G. Tretyachenko-Ladokhina, A.S. Ladokhin, L. Wang, A.W. Steggles and P.W. Holloway (USA)* 163

Kinetics of incorporation of porphyrins into small unilamellar vesicles
*C. Vever-Bizet and D. Brault (France)* 170

A membrane-bound form of protein disulfide isomerase (PDI) and the hepatic uptake of organic anions
*W. Honscha, M. Ottallah, A. Kistner, H. Platte and E. Petzinger (Germany)* 175

Rabbit skeletal muscle sarcoplasmic reticulum $Ca^{2+}$-ATPase activity: stimulation in vitro by thyroid hormone analogues and bipyridines
*P.R. Warnick, P.J. Davis, F.B. Davis, V. Cody, J. Galindo, Jr. and S.D. Blas (USA)* 184

Membrane orientation of transmembrane segments 11 and 12 of MDR- and non-MDR-associated P-glycoproteins
*J.-T. Zhang and V. Ling (Canada)* 191

Static and dynamic studies of the potential-sensitive membrane probe RH421 in dimyristoylphosphatidylcholine vesicles
*A. Zouni, R.J. Clarke, A.J.W.G. Visser, N.V. Visser and J.F. Holzwarth (Germany, The Netherlands)* 203

Intracellular pH regulation in cecal epithelial cells from the chick
*M.L. Calonge, M.J. Peral and A. Ilundáin (Spain)* 213

Deregulation by zinc of the sodium efflux in barnacle muscle fibers
*H. Xie and E.E. Bittar (USA)* 219

The role of drug–lipid interactions in the biological activity of modulators of multi-drug resistance
*R.M. Wadkins and P.J. Houghton (USA)* 225

Transport of choline by Madin-Darby canine kidney cells
*P. Zlatkine, G. Moll, A. Blais, A. Loiseau and C. Le Grimellec (France)* 237

Electrical impedance and erythrocyte sedimentation rate (ESR) of blood
*T.-X. Zhao and D. Lockner (Sweden)* 243

A voltage-dependent and a voltage-independent potassium channel in brown adipocytes of the rat
*U. Ruß, T. Ringer and D. Siemen (Germany)* 249

The membrane potential has no detectable effect on the phosphocholine headgroup conformation in large unilamellar phosphatidylcholine vesicles as determined by $^2$H-NMR
*J.M. Leenhouts, V. Chupin, J. De Gier and B. De Kruijff (The Netherlands)* 257

Determination of the intracellular free chloride concentration in rat brain synaptoneurosomes using a chloride-sensitive fluorescent indicator
*A.C. Engblom and K.E.O. Åkerman (Finland)* 262

Overexpression of the ER-membrane protein P-450 CYP52A3 mimics *sec* mutant characteristics in *Saccharomyces cerevisiae*
*B. Wiedmann, P. Silver, W.-H. Schunck and M. Wiedmann (USA, Germany)* 267

Heteroacid phosphatidylcholines with different amounts of unsaturation respond differently to cholesterol
*J. Hernandez-Borrell and K.M.W. Keough (Canada)* 277

ATP activation of plasma membrane yeast $H^+$-ATPase shows complex kinetics independently of the degree of purification
*G. Berberián, G. Helguera and L. Beaugé (Argentina)* 283

Enhanced permeation and stratum corneum structural alterations in the presence of dithiothreitol
*C.Y. Goates and K. Knutson (USA)* 289

Ontogeny of $Na^+$/D-glucose cotransport in guinea-pig jejunal vesicles: only one system is involved at both 20°C and 35°C
*C. Malo (Canada)* 299

The active metabolite hydroxytamoxifen of the anticancer drug tamoxifen induces structural changes in membranes
*J.B.A. Custódio, L.M. Almeida and V.M.C. Madeira (Portugal)* 308

Direct observation of differential UV photolytic degradation among the tryptophan residues of gramicidin A in sodium dodecyl sulfate micelles
*S. McKim and J.F. Hinton (USA)* 315

A model of mitochondrial creatine kinase binding to membranes: adsorption constants, essential amino acids and the effect of ionic strength
*S.N. Fedosov, L.V. Belousova and I.W. Plesner (Denmark, Russia)* 322

Ion velocity distributions in gramicidin channels determined with laser Doppler velocimetry
*F. Macias and M.E. Starzak (USA)* 331

Interactions of liposomes and hydrophobically-modified poly-(*N*-isopropylacrylamides): an attempt to model the cytoskeleton
*H. Ringsdorf, E. Sackmann, J. Simon and F.M. Winnik (Germany, Canada)* 335

## *Short Sequence-Paper*

An *Escherichia coli* gene showing a potential ancestral relationship to the genes for the mitochondrial import site proteins ISP42 and MOM38
*P. Cartwright, M. Timms, T. Lithgow, P. Høj and N. Hoogenraad (Australia)* 345

*Cumulative Contents, Vol. 1153* 349

*Author Index* 352